
Appendix 9.4

Operational Noise Predictions

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1	Residential	67	68	Yes	Yes	No	No	69	69	Yes	No	No	No
R2	Residential	71	72	Yes	Yes	No	No	72	72	Yes	No	No	No
R3	Commercial	60	60	No	No	No	No	61	61	Yes	No	No	No
R4	Residential	59	58	No	No	No	No	61	60	No	No	No	No
R5	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R6	Commercial	72	73	Yes	Yes	No	No	73	73	Yes	No	No	No
R7	Residential	62	63	Yes	Yes	No	No	65	66	Yes	Yes	No	No
R8	Residential	59	60	No	Yes	No	No	60	61	Yes	Yes	No	No
R9	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R10	Commercial	49	48	No	No	No	No	51	50	No	No	No	No
R11	Residential / Commercial	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R12	Residential	66	67	Yes	Yes	No	No	68	68	Yes	No	No	No
R13	Residential	62	63	Yes	Yes	No	No	64	65	Yes	Yes	No	No
R14	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R15	Residential	60	61	Yes	Yes	No	No	62	62	Yes	No	No	No
R16	Residential	65	66	Yes	Yes	No	No	66	66	Yes	No	No	No
R17	Commercial	60	60	No	No	No	No	61	62	Yes	Yes	No	No
R18	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R19	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R20	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R21	Residential	50	47	No	No	No	No	51	48	No	No	No	No
R22	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R23	Residential	47	48	No	Yes	No	No	48	48	No	No	No	No
R24	Residential	47	49	No	Yes	No	No	49	50	No	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R25	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R26	Residential	51	53	No	Yes	Yes	No	53	54	No	Yes	Yes	No
R27	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R28	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R29	Residential	50	52	No	Yes	No	No	52	52	No	No	No	No
R30	Residential	49	50	No	Yes	No	No	50	51	No	Yes	No	No
R31	Residential	48	50	No	Yes	No	No	49	51	No	Yes	No	No
R32	Residential	48	59	No	Yes	Yes	No	49	60	No	Yes	Yes	No
R33	Residential	54	53	No	No	No	No	55	53	No	No	No	No
R34	Residential	68	69	Yes	Yes	Yes	Yes	69	70	Yes	Yes	Yes	Yes
R35	Residential	68	69	Yes	Yes	Yes	Yes	69	70	Yes	Yes	Yes	Yes
R36	Commercial	67	70	Yes	Yes	No	No	69	71	Yes	Yes	No	No
R37	Residential	70	57	No	No	No	No	70	59	No	No	No	No
R38	Residential	48	47	No	No	No	No	49	48	No	No	No	No
R39	Residential	48	44	No	No	No	No	49	45	No	No	No	No
R40	Residential	61	51	No	No	No	No	62	51	No	No	No	No
R41	Residential	55	47	No	No	No	No	56	48	No	No	No	No
R42	Residential	51	46	No	No	No	No	51	46	No	No	No	No
R43	Residential	51	46	No	No	No	No	51	46	No	No	No	No
R44	Residential	65	56	No	No	No	No	65	57	No	No	No	No
R45	Residential	53	48	No	No	No	No	54	49	No	No	No	No
R46	Residential	52	47	No	No	No	No	52	48	No	No	No	No
R47	Residential	53	48	No	No	No	No	54	49	No	No	No	No
R48	Residential	53	47	No	No	No	No	53	48	No	No	No	No
R49	Residential	54	49	No	No	No	No	55	50	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R50	Residential	53	49	No	No	No	No	54	50	No	No	No	No
R51	Residential	54	50	No	No	No	No	55	51	No	No	No	No
R52	Residential	55	50	No	No	No	No	55	51	No	No	No	No
R53	Residential	52	49	No	No	No	No	53	50	No	No	No	No
R54	Commercial	64	56	No	No	No	No	65	57	No	No	No	No
R55	St Patricks National School	67	60	No	No	No	No	67	61	Yes	No	No	No
R56	Residential	58	52	No	No	No	No	59	53	No	No	No	No
R57	Residential	59	53	No	No	No	No	60	55	No	No	No	No
R58	Residential	59	54	No	No	No	No	60	55	No	No	No	No
R59	Residential	59	55	No	No	No	No	60	56	No	No	No	No
R60	Residential	67	61	Yes	No	No	No	68	62	Yes	No	No	No
R61	Library	67	67	Yes	No	No	No	67	68	Yes	Yes	No	No
R62	Residential	66	65	Yes	No	No	No	66	67	Yes	Yes	No	No
R63	B&B	54	54	No	No	No	No	55	55	No	No	No	No
R64	Residential	49	48	No	No	No	No	50	49	No	No	No	No
R65	Residential	49	47	No	No	No	No	50	48	No	No	No	No
R66	Residential	49	47	No	No	No	No	50	48	No	No	No	No
R67	Residential	48	46	No	No	No	No	49	47	No	No	No	No
R68	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R69	Residential	49	47	No	No	No	No	50	48	No	No	No	No
R70	Residential	49	47	No	No	No	No	50	48	No	No	No	No
R71	Residential	49	47	No	No	No	No	50	48	No	No	No	No
R72	Residential	50	48	No	No	No	No	51	49	No	No	No	No
R73	Residential	50	48	No	No	No	No	51	49	No	No	No	No
R74	Residential	48	46	No	No	No	No	49	47	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R75	Residential	48	46	No	No	No	No	49	47	No	No	No	No
R76	Residential	48	45	No	No	No	No	48	46	No	No	No	No
R77	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R78	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R79	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R80	Residential	47	46	No	No	No	No	48	47	No	No	No	No
R81	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R82	Residential	44	44	No	No	No	No	45	45	No	No	No	No
R83	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R84	Residential	45	45	No	No	No	No	46	46	No	No	No	No
R85	Residential	49	48	No	No	No	No	50	49	No	No	No	No
R86	Residential	51	50	No	No	No	No	51	50	No	No	No	No
R87	Residential	50	49	No	No	No	No	51	50	No	No	No	No
R88	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R89	Residential	57	57	No	No	No	No	57	57	No	No	No	No
R90	Residential	57	57	No	No	No	No	57	57	No	No	No	No
R91	Residential	67	67	Yes	No	No	No	69	69	Yes	No	No	No
R92	Residential	67	67	Yes	No	No	No	69	68	Yes	No	No	No
R93	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R94	Residential	67	67	Yes	No	No	No	69	68	Yes	No	No	No
R95	Residential	67	67	Yes	No	No	No	69	68	Yes	No	No	No
R96	Commercial	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R97	Residential	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R98	Residential	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R99	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R100	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R101	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R102	Residential	72	72	Yes	No	No	No	73	73	Yes	No	No	No
R103	Commercial	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R104	Residential	64	64	Yes	No	No	No	64	65	Yes	Yes	No	No
R105	Residential	64	64	Yes	No	No	No	64	65	Yes	Yes	No	No
R106	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R107	Residential	56	57	No	Yes	No	No	57	57	No	No	No	No
R108	Residential	56	56	No	No	No	No	56	57	No	Yes	No	No
R109	Residential	68	68	Yes	No	No	No	70	69	Yes	No	No	No
R110	Residential	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R111	Residential	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R112	Residential	48	49	No	Yes	No	No	49	49	No	No	No	No
R113	Residential	54	55	No	Yes	No	No	55	55	No	No	No	No
R114	Residential	55	55	No	No	No	No	55	56	No	Yes	No	No
R115	Residential	55	55	No	No	No	No	55	56	No	Yes	No	No
R116	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R117	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R118	Residential	47	48	No	Yes	No	No	48	48	No	No	No	No
R119	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R120	Residential	50	50	No	No	No	No	50	51	No	Yes	No	No
R121	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R122	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R123	Residential	48	49	No	Yes	No	No	49	50	No	Yes	No	No
R124	Residential	49	49	No	No	No	No	50	50	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R125	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R126	Residential	48	49	No	Yes	No	No	49	50	No	Yes	No	No
R127	Residential	58	58	No	No	No	No	59	60	No	Yes	No	No
R128	Residential	57	58	No	Yes	No	No	59	59	No	No	No	No
R129	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R130	Residential	55	56	No	Yes	No	No	56	56	No	No	No	No
R131	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R132	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R133	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R134	Residential	48	49	No	Yes	No	No	49	49	No	No	No	No
R135	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R136	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R137	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R138	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R139	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R140	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R141	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R142	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R143	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R144	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R145	Residential	52	53	No	Yes	No	No	53	53	No	No	No	No
R146	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R147	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R148	Residential	53	54	No	Yes	No	No	55	55	No	No	No	No
R149	Residential	54	54	No	No	No	No	55	55	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R150	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R151	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R152	Residential	55	56	No	Yes	No	No	57	57	No	No	No	No
R153	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R154	Residential	61	61	Yes	No	No	No	62	62	Yes	No	No	No
R155	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R156	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R157	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R158	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R159	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R160	Residential	53	52	No	No	No	No	55	54	No	No	No	No
R161	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R162	Residential	61	62	Yes	Yes	No	No	62	62	Yes	No	No	No
R163	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R164	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R165	Residential / Commercial	51	51	No	No	No	No	53	52	No	No	No	No
R166	Commercial	57	58	No	Yes	No	No	59	58	No	No	No	No
R167	Residential / Commercial	58	57	No	No	No	No	59	59	No	No	No	No
R168	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R169	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R170	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R171	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R172	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R173	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R174	Residential	47	48	No	Yes	No	No	48	49	No	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R175	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R176	Residential	48	49	No	Yes	No	No	49	50	No	Yes	No	No
R177	Residential	56	57	No	Yes	No	No	57	58	No	Yes	No	No
R178	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R179	Residential	53	54	No	Yes	No	No	54	54	No	No	No	No
R180	Residential	62	62	Yes	No	No	No	63	63	Yes	No	No	No
R181	Residential	60	60	No	No	No	No	62	62	Yes	No	No	No
R182	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R183	Residential	55	56	No	Yes	No	No	56	57	No	Yes	No	No
R184	Residential	71	72	Yes	Yes	No	No	71	72	Yes	Yes	No	No
R185	Residential / Commercial	63	63	Yes	No	No	No	63	64	Yes	Yes	No	No
R186	Residential	62	62	Yes	No	No	No	62	63	Yes	Yes	No	No
R187	Residential	58	59	No	Yes	No	No	60	60	No	No	No	No
R188	Residential	40	42	No	Yes	No	No	42	46	No	Yes	No	No
R189	Residential	63	64	Yes	Yes	No	No	65	66	Yes	Yes	No	No
R190	Residential	62	63	Yes	Yes	No	No	64	66	Yes	Yes	No	No
R191	Residential / Commercial	62	62	Yes	No	No	No	63	63	Yes	No	No	No
R192	Residential	45	44	No	No	No	No	47	46	No	No	No	No
R193	Residential	39	39	No	No	No	No	41	40	No	No	No	No
R194	Residential	59	60	No	Yes	No	No	61	62	Yes	Yes	No	No
R195	Residential	59	59	No	No	No	No	60	61	Yes	Yes	No	No
R196	Residential	58	59	No	Yes	No	No	59	59	No	No	No	No
R197	Residential	63	64	Yes	Yes	No	No	64	65	Yes	Yes	No	No
R198	Residential	66	67	Yes	Yes	No	No	66	67	Yes	Yes	No	No
R199	Residential	65	67	Yes	Yes	No	No	66	67	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R200	Commercial	55	46	No	No	No	No	55	47	No	No	No	No
R200a	Commercial	51	49	No	No	No	No	52	50	No	No	No	No
R201	Residential	61	49	No	No	No	No	62	50	No	No	No	No
R202	Residential	54	47	No	No	No	No	55	48	No	No	No	No
R203	Residential	61	49	No	No	No	No	62	50	No	No	No	No
R203a	Residential	51	53	No	Yes	Yes	No	52	54	No	Yes	Yes	No
R204	Residential / Commercial	66	67	Yes	Yes	No	No	67	67	Yes	No	No	No
R205	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R206	Residential	70	71	Yes	Yes	No	No	71	71	Yes	No	No	No
R207	Residential	57	58	No	Yes	No	No	58	58	No	No	No	No
R208	Residential	48	48	No	No	No	No	50	49	No	No	No	No
R209	Residential	55	54	No	No	No	No	56	55	No	No	No	No
R210	Residential	49	47	No	No	No	No	51	49	No	No	No	No
R211	Residential	53	54	No	Yes	No	No	54	55	No	Yes	No	No
R212	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R213	Residential	47	45	No	No	No	No	48	46	No	No	No	No
R214	Residential	48	46	No	No	No	No	49	47	No	No	No	No
R215	Residential	49	48	No	No	No	No	50	49	No	No	No	No
R216	Residential	53	51	No	No	No	No	54	52	No	No	No	No
R217	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R218	Residential	57	58	No	Yes	No	No	58	59	No	Yes	No	No
R219	Residential	57	59	No	Yes	No	No	58	60	No	Yes	No	No
R220	Residential	58	60	No	Yes	No	No	59	61	Yes	Yes	No	No
R221	Residential	58	60	No	Yes	No	No	60	61	Yes	Yes	No	No
R222	Residential	60	62	Yes	Yes	Yes	Yes	62	63	Yes	Yes	Yes	Yes

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R223	Residential	57	60	No	Yes	Yes	No	59	61	Yes	Yes	Yes	Yes
R224	Residential	47	49	No	Yes	No	No	48	50	No	Yes	No	No
R225	Residential	47	49	No	Yes	No	No	48	50	No	Yes	No	No
R226	Residential	46	48	No	Yes	No	No	47	49	No	Yes	No	No
R227	Residential	56	57	No	Yes	No	No	57	58	No	Yes	No	No
R228	Residential	52	50	No	No	No	No	53	51	No	No	No	No
R229	Residential	49	48	No	No	No	No	50	49	No	No	No	No
R230	Commercial	69	71	Yes	Yes	No	No	70	72	Yes	Yes	No	No
R231	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R232	Residential	62	62	Yes	No	No	No	63	63	Yes	No	No	No
R233	Residential	55	47	No	No	No	No	55	48	No	No	No	No
R234	Residential	52	46	No	No	No	No	53	47	No	No	No	No
R235	Residential	54	46	No	No	No	No	55	47	No	No	No	No
R236	Residential	48	45	No	No	No	No	49	46	No	No	No	No
R237	Residential	48	45	No	No	No	No	49	46	No	No	No	No
R238	Residential	48	43	No	No	No	No	49	44	No	No	No	No
R239	Residential	52	47	No	No	No	No	53	47	No	No	No	No
R240	Residential	68	60	No	No	No	No	69	61	Yes	No	No	No
R241	Residential	65	58	No	No	No	No	66	59	No	No	No	No
R242	Residential	61	52	No	No	No	No	62	53	No	No	No	No
R243	Residential	61	51	No	No	No	No	62	52	No	No	No	No
R244	Residential	60	50	No	No	No	No	61	52	No	No	No	No
R245	Residential	60	50	No	No	No	No	61	51	No	No	No	No
R246	Residential	60	50	No	No	No	No	61	51	No	No	No	No
R247	Residential	60	50	No	No	No	No	61	51	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R248	Residential	60	50	No	No	No	No	61	51	No	No	No	No
R249	Residential	60	50	No	No	No	No	61	51	No	No	No	No
R250	Residential	61	50	No	No	No	No	62	51	No	No	No	No
R251	Residential	61	50	No	No	No	No	62	51	No	No	No	No
R252	Residential	61	51	No	No	No	No	62	52	No	No	No	No
R253	Residential / Commercial	61	50	No	No	No	No	62	51	No	No	No	No
R254	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R255	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R256	Residential	48	49	No	Yes	No	No	50	50	No	No	No	No
R257	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R258	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R259	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R260	Residential	47	48	No	Yes	No	No	48	49	No	Yes	No	No
R261	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R262	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R263	Residential	46	47	No	Yes	No	No	48	48	No	No	No	No
R264	Residential	46	47	No	Yes	No	No	48	48	No	No	No	No
R265	Residential	47	47	No	No	No	No	47	48	No	Yes	No	No
R266	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R267	Residential	49	50	No	Yes	No	No	50	50	No	No	No	No
R268	Residential	49	50	No	Yes	No	No	50	50	No	No	No	No
R269	Residential	51	51	No	No	No	No	51	52	No	Yes	No	No
R270	Residential	51	51	No	No	No	No	51	52	No	Yes	No	No
R271	Residential	50	51	No	Yes	No	No	51	51	No	No	No	No
R272	Residential	50	51	No	Yes	No	No	51	51	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R273	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R274	Residential	48	49	No	Yes	No	No	49	49	No	No	No	No
R275	Residential	48	49	No	Yes	No	No	49	50	No	Yes	No	No
R276	Residential	49	50	No	Yes	No	No	50	51	No	Yes	No	No
R277	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R278	Residential	49	50	No	Yes	No	No	50	50	No	No	No	No
R279	Residential	49	50	No	Yes	No	No	50	50	No	No	No	No
R280	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R281	Residential	49	49	No	No	No	No	49	50	No	Yes	No	No
R282	Residential	49	49	No	No	No	No	49	50	No	Yes	No	No
R283	Residential	56	57	No	Yes	No	No	57	57	No	No	No	No
R284	Residential	56	57	No	Yes	No	No	57	58	No	Yes	No	No
R285	Residential	61	61	Yes	No	No	No	61	62	Yes	Yes	No	No
R286	Residential	61	62	Yes	Yes	No	No	62	62	Yes	No	No	No
R287	Residential	62	62	Yes	No	No	No	62	63	Yes	Yes	No	No
R288	Residential	59	60	No	Yes	No	No	60	60	No	No	No	No
R289	Residential	58	59	No	Yes	No	No	59	59	No	No	No	No
R290	Residential	57	58	No	Yes	No	No	58	59	No	Yes	No	No
R291	Residential	57	57	No	No	No	No	57	58	No	Yes	No	No
R292	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R293	Residential	53	54	No	Yes	No	No	54	55	No	Yes	No	No
R294	Residential	52	53	No	Yes	No	No	53	53	No	No	No	No
R295	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R296	Residential	63	64	Yes	Yes	No	No	66	67	Yes	Yes	No	No
R297	Residential	62	63	Yes	Yes	No	No	64	65	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R298	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R299	Residential / Commercial	52	53	No	Yes	No	No	54	55	No	Yes	No	No
R300	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R301	Residential	49	50	No	Yes	No	No	51	51	No	No	No	No
R302	Commercial	70	71	Yes	Yes	No	No	71	71	Yes	No	No	No
R303	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R304	Residential	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R305	Residential	58	58	No	No	No	No	58	58	No	No	No	No
R306	Residential	58	59	No	Yes	No	No	59	59	No	No	No	No
R307	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R308	Residential	58	58	No	No	No	No	58	58	No	No	No	No
R309	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R310	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R311	Residential	71	72	Yes	Yes	No	No	72	73	Yes	Yes	No	No
R312	Pitch and Putt Club	54	54	No	No	No	No	55	55	No	No	No	No
R313	Residential	68	68	Yes	No	No	No	68	69	Yes	Yes	No	No
R314	Saint Mary's GFC	49	49	No	No	No	No	51	50	No	No	No	No
R315	Newgrange Monument	59	57	No	No	No	No	62	61	Yes	No	No	No
R316	Residential	57	57	No	No	No	No	59	58	No	No	No	No
R317	Residential	59	59	No	No	No	No	61	61	Yes	No	No	No
R318	Residential	46	47	No	Yes	No	No	48	48	No	No	No	No
R319	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R320	Residential	46	45	No	No	No	No	47	47	No	No	No	No
R321	Residential	46	45	No	No	No	No	48	47	No	No	No	No
R322	Residential	48	47	No	No	No	No	50	49	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R323	Commercial	46	48	No	Yes	Yes	No	47	49	No	Yes	Yes	No
R324	Residential	63	52	No	No	No	No	64	54	No	No	No	No
R325	Residential	62	50	No	No	No	No	63	52	No	No	No	No
R326	Residential	62	50	No	No	No	No	62	51	No	No	No	No
R327	Residential	60	49	No	No	No	No	61	50	No	No	No	No
R328	Residential	55	49	No	No	No	No	56	50	No	No	No	No
R329	Residential	54	49	No	No	No	No	55	50	No	No	No	No
R330	Residential	53	49	No	No	No	No	54	50	No	No	No	No
R331	Residential	55	49	No	No	No	No	56	50	No	No	No	No
R332	Residential	56	49	No	No	No	No	57	50	No	No	No	No
R333	Residential	55	48	No	No	No	No	56	49	No	No	No	No
R334	Residential	55	49	No	No	No	No	56	50	No	No	No	No
R335	Residential	59	50	No	No	No	No	59	51	No	No	No	No
R336	Residential	58	50	No	No	No	No	59	51	No	No	No	No
R337	Residential	58	50	No	No	No	No	59	50	No	No	No	No
R338	Residential	59	50	No	No	No	No	60	51	No	No	No	No
R339	Residential	58	50	No	No	No	No	59	51	No	No	No	No
R340	Residential	52	50	No	No	No	No	53	50	No	No	No	No
R341	Residential	50	48	No	No	No	No	51	49	No	No	No	No
R342	Residential	57	46	No	No	No	No	58	47	No	No	No	No
R343	Residential	51	46	No	No	No	No	52	47	No	No	No	No
R344	Residential	53	48	No	No	No	No	54	48	No	No	No	No
R345	Residential	47	46	No	No	No	No	48	47	No	No	No	No
R346	Residential	46	44	No	No	No	No	47	44	No	No	No	No
R346a	Residential	50	44	No	No	No	No	51	44	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R347	Residential	52	49	No	No	No	No	53	50	No	No	No	No
R348	Residential	51	49	No	No	No	No	52	49	No	No	No	No
R349	Residential	60	61	Yes	Yes	No	No	60	61	Yes	Yes	No	No
R350	Residential	54	55	No	Yes	No	No	55	56	No	Yes	No	No
R351	Commercial	60	61	Yes	Yes	No	No	61	61	Yes	No	No	No
R352	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R353	Residential	54	52	No	No	No	No	56	53	No	No	No	No
R354	Residential	55	52	No	No	No	No	57	53	No	No	No	No
R355	Residential	54	51	No	No	No	No	55	52	No	No	No	No
R356	Residential	55	52	No	No	No	No	56	53	No	No	No	No
R357	Residential	56	52	No	No	No	No	57	54	No	No	No	No
R358	Residential	60	53	No	No	No	No	61	54	No	No	No	No
R359	Residential	60	53	No	No	No	No	61	54	No	No	No	No
R360	Residential	60	52	No	No	No	No	61	53	No	No	No	No
R361	Residential	73	61	Yes	No	No	No	74	62	Yes	No	No	No
R362	Residential	51	50	No	No	No	No	52	51	No	No	No	No
R363	Commercial	70	70	Yes	No	No	No	71	71	Yes	No	No	No
R363a	Residential / Commercial	70	70	Yes	No	No	No	71	71	Yes	No	No	No
R364	Residential	53	47	No	No	No	No	54	48	No	No	No	No
R365	Residential	57	49	No	No	No	No	58	50	No	No	No	No
R366	Residential	52	48	No	No	No	No	53	49	No	No	No	No
R367	Residential	52	48	No	No	No	No	53	49	No	No	No	No
R368	Residential	50	48	No	No	No	No	51	49	No	No	No	No
R369	Residential	52	49	No	No	No	No	53	50	No	No	No	No
R370	Residential	51	46	No	No	No	No	52	47	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R371	Residential	48	46	No	No	No	No	49	47	No	No	No	No
R372	Residential	47	45	No	No	No	No	48	46	No	No	No	No
R373	Residential	48	45	No	No	No	No	48	46	No	No	No	No
R374	Residential	48	45	No	No	No	No	49	46	No	No	No	No
R375	Residential	44	41	No	No	No	No	45	42	No	No	No	No
R376	Residential	44	41	No	No	No	No	45	42	No	No	No	No
R377	Residential / Commercial	48	44	No	No	No	No	49	45	No	No	No	No
R378	Residential	47	45	No	No	No	No	48	45	No	No	No	No
R379	Residential	44	45	No	Yes	No	No	45	45	No	No	No	No
R380	Residential	45	45	No	No	No	No	46	46	No	No	No	No
R381	Residential	45	45	No	No	No	No	46	46	No	No	No	No
R382	Residential	44	45	No	Yes	No	No	45	46	No	Yes	No	No
R383	Residential	44	45	No	Yes	No	No	45	46	No	Yes	No	No
R384	Residential	45	45	No	No	No	No	46	46	No	No	No	No
R385	Residential	44	45	No	Yes	No	No	45	45	No	No	No	No
R386	Residential	44	45	No	Yes	No	No	45	45	No	No	No	No
R387	Residential	44	45	No	Yes	No	No	45	46	No	Yes	No	No
R388	Residential	43	44	No	Yes	No	No	44	44	No	No	No	No
R389	Residential	43	44	No	Yes	No	No	44	45	No	Yes	No	No
R390	Residential	45	44	No	No	No	No	46	45	No	No	No	No
R391	Residential	46	48	No	Yes	No	No	47	49	No	Yes	No	No
R392	Residential	47	48	No	Yes	No	No	48	49	No	Yes	No	No
R393	Residential	46	47	No	Yes	No	No	47	48	No	Yes	No	No
R394	Residential	47	48	No	Yes	No	No	48	49	No	Yes	No	No
R395	Residential	66	68	Yes	Yes	Yes	Yes	67	69	Yes	Yes	Yes	Yes

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R396	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R397	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R398	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R399	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R400	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R401	Residential	57	57	No	No	No	No	57	58	No	Yes	No	No
R402	Residential	55	55	No	No	No	No	55	55	No	No	No	No
R403	Residential	55	55	No	No	No	No	55	55	No	No	No	No
R404	Residential	55	55	No	No	No	No	55	56	No	Yes	No	No
R405	Residential	56	56	No	No	No	No	56	56	No	No	No	No
R406	Residential	56	56	No	No	No	No	56	56	No	No	No	No
R407	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R408	Residential	56	56	No	No	No	No	56	56	No	No	No	No
R409	Residential	55	55	No	No	No	No	55	56	No	Yes	No	No
R410	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R411	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R412	Residential	54	54	No	No	No	No	54	55	No	Yes	No	No
R413	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R414	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R415	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R416	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R417	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R418	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R419	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R420	Residential	50	50	No	No	No	No	51	51	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R421	Residential	51	50	No	No	No	No	51	51	No	No	No	No
R422	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R423	Residential	51	50	No	No	No	No	51	51	No	No	No	No
R424	Residential	51	50	No	No	No	No	52	51	No	No	No	No
R425	Residential	50	49	No	No	No	No	51	50	No	No	No	No
R426	Residential	50	49	No	No	No	No	51	50	No	No	No	No
R427	Residential	50	49	No	No	No	No	51	50	No	No	No	No
R428	Residential / Commercial	51	49	No	No	No	No	51	50	No	No	No	No
R429	Residential	45	45	No	No	No	No	46	46	No	No	No	No
R430	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R431	Residential	47	44	No	No	No	No	48	45	No	No	No	No
R432	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R433	Residential	47	44	No	No	No	No	47	45	No	No	No	No
R434	Residential	47	44	No	No	No	No	47	45	No	No	No	No
R435	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R436	Residential	46	44	No	No	No	No	47	44	No	No	No	No
R437	Residential	46	46	No	No	No	No	46	47	No	Yes	No	No
R438	Residential	45	44	No	No	No	No	45	45	No	No	No	No
R439	Residential	44	44	No	No	No	No	45	45	No	No	No	No
R440	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R441	Residential	46	46	No	No	No	No	46	46	No	No	No	No
R442	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R443	Residential	45	45	No	No	No	No	46	46	No	No	No	No
R444	Residential	47	47	No	No	No	No	47	47	No	No	No	No
R445	Residential	50	50	No	No	No	No	51	51	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R446	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R447	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R448	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R449	Residential	47	45	No	No	No	No	48	46	No	No	No	No
R450	Residential	47	45	No	No	No	No	47	46	No	No	No	No
R451	Residential	47	45	No	No	No	No	48	46	No	No	No	No
R452	Residential	47	46	No	No	No	No	48	46	No	No	No	No
R453	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R454	Residential	46	46	No	No	No	No	46	47	No	Yes	No	No
R455	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R456	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R457	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R458	Residential	47	46	No	No	No	No	47	47	No	No	No	No
R459	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R460	Residential	55	55	No	No	No	No	55	55	No	No	No	No
R461	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R462	Slane Wanders	46	44	No	No	No	No	47	45	No	No	No	No
R463	Commercial	65	58	No	No	No	No	66	59	No	No	No	No
R464	Residential	58	55	No	No	No	No	59	56	No	No	No	No
R465	Residential / Commercial	56	56	No	No	No	No	57	57	No	No	No	No
R466	Residential	66	67	Yes	Yes	No	No	68	68	Yes	No	No	No
R467	Residential	55	53	No	No	No	No	57	55	No	No	No	No
R468	Residential / Commercial	46	47	No	Yes	No	No	47	48	No	Yes	No	No
R469	Residential	63	63	Yes	No	No	No	64	65	Yes	Yes	No	No
R470	Residential	62	63	Yes	Yes	No	No	64	65	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R471	Residential	70	71	Yes	Yes	No	No	71	71	Yes	No	No	No
R472	Commercial	58	59	No	Yes	No	No	59	59	No	No	No	No
R473	Residential / Commercial	53	53	No	No	No	No	55	54	No	No	No	No
R474	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R475	Residential	51	51	No	No	No	No	53	52	No	No	No	No
R476	Residential	53	53	No	No	No	No	55	54	No	No	No	No
R477	Residential	52	52	No	No	No	No	54	54	No	No	No	No
R478	Commercial	70	71	Yes	Yes	No	No	71	72	Yes	Yes	No	No
R479	Commercial	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R480	Residential	62	62	Yes	No	No	No	63	63	Yes	No	No	No
R481	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R482	Commercial	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R483	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R484	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R485	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R486	Residential	53	54	No	Yes	No	No	54	55	No	Yes	No	No
R487	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R488	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R489	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R490	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R491	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R492	Residential	51	52	No	Yes	No	No	53	53	No	No	No	No
R493	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R494	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R495	Residential	51	51	No	No	No	No	52	52	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R496	Residential	51	52	No	Yes	No	No	52	52	No	No	No	No
R497	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R498	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R499	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R500	Residential	49	49	No	No	No	No	50	51	No	Yes	No	No
R501	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R502	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R503	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R504	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R505	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R506	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R507	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R508	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R509	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R510	Residential	51	51	No	No	No	No	51	52	No	Yes	No	No
R511	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R512	Residential	48	49	No	Yes	No	No	49	49	No	No	No	No
R513	Residential / Commercial	51	51	No	No	No	No	53	53	No	No	No	No
R514	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R515	Residential	59	58	No	No	No	No	59	59	No	No	No	No
R516	Residential	55	56	No	Yes	No	No	55	56	No	Yes	No	No
R517	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R518	Residential	46	45	No	No	No	No	46	46	No	No	No	No
R519	Residential	49	48	No	No	No	No	51	50	No	No	No	No
R520	Residential	57	58	No	Yes	No	No	59	60	No	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R521	Residential	54	55	No	Yes	No	No	56	56	No	No	No	No
R522	Residential	52	53	No	Yes	No	No	54	54	No	No	No	No
R523	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R524	Residential	54	55	No	Yes	No	No	55	55	No	No	No	No
R525	Residential	55	55	No	No	No	No	55	56	No	Yes	No	No
R526	Residential / Commercial	59	60	No	Yes	No	No	60	60	No	No	No	No
R527	Residential	37	46	No	Yes	No	No	44	49	No	Yes	No	No
R528	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R529	Residential	53	50	No	No	No	No	54	51	No	No	No	No
R530	Residential / Commercial	52	51	No	No	No	No	53	52	No	No	No	No
R531	Commercial	68	68	Yes	No	No	No	69	70	Yes	Yes	No	No
R532	Residential	43	49	No	Yes	No	No	47	51	No	Yes	No	No
R533	Residential	47	57	No	Yes	Yes	No	48	58	No	Yes	Yes	No
R533a	Residential	63	50	No	No	No	No	63	52	No	No	No	No
R534	Residential	63	51	No	No	No	No	64	52	No	No	No	No
R534a	Residential	47	57	No	Yes	Yes	No	48	58	No	Yes	Yes	No
R535	Commercial	62	62	Yes	No	No	No	63	63	Yes	No	No	No
R536	Residential	56	57	No	Yes	No	No	58	58	No	No	No	No
R537	Commercial	60	60	No	No	No	No	60	60	No	No	No	No
R538	Residential	53	53	No	No	No	No	55	56	No	Yes	No	No
R539	Commercial	52	52	No	No	No	No	53	53	No	No	No	No
R540	Residential	62	63	Yes	Yes	No	No	63	63	Yes	No	No	No
R541	Residential	47	46	No	No	No	No	48	48	No	No	No	No
R542	Residential	54	55	No	Yes	No	No	55	56	No	Yes	No	No
R543	Residential	58	59	No	Yes	No	No	60	61	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R544	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R545	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R546	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R547	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R548	Residential	53	54	No	Yes	No	No	54	55	No	Yes	No	No
R549	Residential	52	53	No	Yes	No	No	53	53	No	No	No	No
R550	Residential	55	56	No	Yes	No	No	56	57	No	Yes	No	No
R551	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R552	Residential	64	65	Yes	Yes	No	No	65	65	Yes	No	No	No
R553	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R554	Residential	51	48	No	No	No	No	52	49	No	No	No	No
R555	Residential	50	47	No	No	No	No	51	49	No	No	No	No
R556	Residential	49	46	No	No	No	No	50	47	No	No	No	No
R557	Residential	49	46	No	No	No	No	50	47	No	No	No	No
R558	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R559	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R560	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R561	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R562	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R563	Residential	55	55	No	No	No	No	56	57	No	Yes	No	No
R564	Residential	54	53	No	No	No	No	55	55	No	No	No	No
R565	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R566	Residential	52	50	No	No	No	No	53	50	No	No	No	No
R567	Residential	52	50	No	No	No	No	53	51	No	No	No	No
R568	Residential	55	49	No	No	No	No	56	50	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R569	Commercial	55	47	No	No	No	No	56	48	No	No	No	No
R570	Commercial	52	52	No	No	No	No	53	53	No	No	No	No
R571	Residential	65	52	No	No	No	No	66	54	No	No	No	No
R571a	Residential	49	58	No	Yes	Yes	No	50	59	No	Yes	Yes	No
R572	Residential	67	69	Yes	Yes	Yes	Yes	69	70	Yes	Yes	Yes	Yes
R573	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R574	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R575	Commercial	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R576	Residential	63	63	Yes	No	No	No	64	65	Yes	Yes	No	No
R577	Residential	60	60	No	No	No	No	61	62	Yes	Yes	No	No
R578	Residential	58	59	No	Yes	No	No	60	61	Yes	Yes	No	No
R579	Commercial	52	52	No	No	No	No	53	53	No	No	No	No
R580	Residential	67	68	Yes	Yes	No	No	68	68	Yes	No	No	No
R581	Residential	56	55	No	No	No	No	57	56	No	No	No	No
R582	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R583	Residential	51	53	No	Yes	No	No	53	54	No	Yes	No	No
R584	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R585	Residential	55	54	No	No	No	No	57	56	No	No	No	No
R586	Residential	48	44	No	No	No	No	48	45	No	No	No	No
R587	Residential	59	59	No	No	No	No	60	60	No	No	No	No
R588	Commercial	60	61	Yes	Yes	No	No	62	62	Yes	No	No	No
R589	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R590	Residential	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R591	Residential / Commercial	52	51	No	No	No	No	54	53	No	No	No	No
R592	Residential	63	64	Yes	Yes	No	No	65	65	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R593	Residential	50	50	No	No	No	No	51	52	No	Yes	No	No
R594	Residential	50	50	No	No	No	No	50	51	No	Yes	No	No
R595	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R596	Residential	42	46	No	Yes	No	No	46	49	No	Yes	No	No
R597	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R598	Residential	50	50	No	No	No	No	52	52	No	No	No	No
R599	Residential	48	49	No	Yes	No	No	49	50	No	Yes	No	No
R600	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R601	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R602	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R603	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R604	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R605	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R606	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R607	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R608	Residential	49	50	No	Yes	No	No	50	51	No	Yes	No	No
R609	Residential	47	48	No	Yes	No	No	49	49	No	No	No	No
R610	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R611	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R612	Residential	54	55	No	Yes	No	No	55	56	No	Yes	No	No
R613	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R614	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R615	Residential	50	51	No	Yes	No	No	52	52	No	No	No	No
R616	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R617	Residential	49	49	No	No	No	No	50	50	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R618	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R619	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R620	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R621	Residential	50	51	No	Yes	No	No	51	51	No	No	No	No
R622	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R623	Residential	52	53	No	Yes	No	No	53	53	No	No	No	No
R624	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R625	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R626	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R627	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R628	Residential	47	48	No	Yes	No	No	48	48	No	No	No	No
R629	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R630	Residential	47	48	No	Yes	No	No	48	49	No	Yes	No	No
R631	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R632	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R633	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R634	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R635	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R636	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R637	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R638	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R639	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R640	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R641	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R642	Residential	51	51	No	No	No	No	52	52	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R643	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R644	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R645	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R646	Commercial	68	68	Yes	No	No	No	70	69	Yes	No	No	No
R647	Residential	56	54	No	No	No	No	58	56	No	No	No	No
R648	Residential	48	45	No	No	No	No	48	45	No	No	No	No
R649	Residential	48	44	No	No	No	No	48	45	No	No	No	No
R650	Residential	47	44	No	No	No	No	47	45	No	No	No	No
R651	Residential	53	48	No	No	No	No	54	49	No	No	No	No
R652	Residential	50	47	No	No	No	No	51	48	No	No	No	No
R653	Residential	49	47	No	No	No	No	50	47	No	No	No	No
R654	Residential	50	47	No	No	No	No	51	48	No	No	No	No
R655	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R656	Commercial	53	52	No	No	No	No	54	54	No	No	No	No
R657	Residential	53	51	No	No	No	No	55	53	No	No	No	No
R658	Residential	42	46	No	Yes	No	No	45	49	No	Yes	No	No
R659	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R660	Residential	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R661	Residential	48	49	No	Yes	No	No	49	51	No	Yes	No	No
R662	Residential	69	69	Yes	No	No	No	71	70	Yes	No	No	No
R663	Residential	68	69	Yes	Yes	No	No	69	70	Yes	Yes	No	No
R664	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R665	Residential	63	63	Yes	No	No	No	64	63	Yes	No	No	No
R666	Lodge	53	52	No	No	No	No	55	54	No	No	No	No
R667	Residential	59	58	No	No	No	No	61	60	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R668	Residential	58	57	No	No	No	No	61	60	No	No	No	No
R669	Residential	58	58	No	No	No	No	60	60	No	No	No	No
R670	Residential	59	57	No	No	No	No	61	60	No	No	No	No
R671	Heritage Centre	60	58	No	No	No	No	63	62	Yes	No	No	No
R672	Residential / Commercial	46	45	No	No	No	No	48	47	No	No	No	No
R673	Residential / Commercial	54	53	No	No	No	No	55	55	No	No	No	No
R674	Residential	47	47	No	No	No	No	49	49	No	No	No	No
R675	Residential / Commercial	54	53	No	No	No	No	55	55	No	No	No	No
R676	Residential	59	58	No	No	No	No	60	60	No	No	No	No
R677	Residential	46	46	No	No	No	No	48	47	No	No	No	No
R678	Residential	52	51	No	No	No	No	53	53	No	No	No	No
R679	Commercial	54	53	No	No	No	No	55	55	No	No	No	No
R680	Residential / Commercial	43	43	No	No	No	No	45	45	No	No	No	No
R681	Residential	58	57	No	No	No	No	61	60	No	No	No	No
R682	Residential	58	56	No	No	No	No	60	59	No	No	No	No
R683	Residential	59	58	No	No	No	No	61	60	No	No	No	No
R684	Residential	60	59	No	No	No	No	63	62	Yes	No	No	No
R685	Residential	59	58	No	No	No	No	61	60	No	No	No	No
R686	Residential	59	59	No	No	No	No	60	60	No	No	No	No
R687	Residential	59	59	No	No	No	No	61	61	Yes	No	No	No
R688	Residential	57	57	No	No	No	No	60	59	No	No	No	No
R689	Residential	59	58	No	No	No	No	62	61	Yes	No	No	No
R690	Residential	55	54	No	No	No	No	56	56	No	No	No	No
R691	Residential	62	62	Yes	No	No	No	63	63	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do- Something	(a)	(b)	(c)	
R692	Residential	60	60	No	No	No	No	61	61	Yes	No	No	No
R693	Residential	59	59	No	No	No	No	61	61	Yes	No	No	No
R694	Residential	47	57	No	Yes	Yes	No	48	57	No	Yes	Yes	No
R695	Residential	47	57	No	Yes	Yes	No	48	58	No	Yes	Yes	No
R696	Residential	49	65	Yes	Yes	Yes	Yes	50	66	Yes	Yes	Yes	Yes
R696(a)	Residential	50	66	Yes	Yes	Yes	Yes	51	67	Yes	Yes	Yes	Yes
R697	Residential	72	72	Yes	No	No	No	72	72	Yes	No	No	No
R698	Residential	65	66	Yes	Yes	No	No	66	67	Yes	Yes	No	No
R699	Residential	71	71	Yes	No	No	No	71	71	Yes	No	No	No
R700	Residential	67	67	Yes	No	No	No	67	68	Yes	Yes	No	No
R701	Residential	72	72	Yes	No	No	No	73	73	Yes	No	No	No
R702	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R703	Residential	61	61	Yes	No	No	No	62	62	Yes	No	No	No
R704	Residential	60	60	No	No	No	No	61	61	Yes	No	No	No
R705	Residential	56	57	No	Yes	No	No	57	58	No	Yes	No	No
R706	Residential	63	63	Yes	No	No	No	64	65	Yes	Yes	No	No
R707	Commercial	64	65	Yes	Yes	No	No	66	67	Yes	Yes	No	No
R708	Residential	66	66	Yes	No	No	No	67	68	Yes	Yes	No	No
R709	Residential	72	72	Yes	No	No	No	72	72	Yes	No	No	No
R710	Residential	63	63	Yes	No	No	No	63	64	Yes	Yes	No	No
R711	Residential / Commercial	64	64	Yes	No	No	No	65	66	Yes	Yes	No	No
R712	Residential	63	63	Yes	No	No	No	64	65	Yes	Yes	No	No
R713	Residential	68	68	Yes	No	No	No	68	69	Yes	Yes	No	No
R714	Residential	71	72	Yes	Yes	No	No	72	72	Yes	No	No	No
R715	Residential	72	73	Yes	Yes	No	No	73	73	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R716	Residential / Commercial	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R717	Residential	59	60	No	Yes	No	No	60	61	Yes	Yes	No	No
R718	Commercial	71	71	Yes	No	No	No	71	72	Yes	Yes	No	No
R719	Residential	71	71	Yes	No	No	No	72	71	Yes	No	No	No
R720	Residential	63	63	Yes	No	No	No	65	64	Yes	No	No	No
R721	Residential	65	65	Yes	No	No	No	68	67	Yes	No	No	No
R722	Residential	65	65	Yes	No	No	No	68	67	Yes	No	No	No
R723	Residential	65	65	Yes	No	No	No	65	66	Yes	Yes	No	No
R724	Residential	53	53	No	No	No	No	54	53	No	No	No	No
R725	Residential	70	58	No	No	No	No	71	59	No	No	No	No
R726	Residential / Commercial	71	55	No	No	No	No	72	57	No	No	No	No
R727	Residential	69	56	No	No	No	No	70	57	No	No	No	No
R728	Residential	64	54	No	No	No	No	65	55	No	No	No	No
R729	Residential / Commercial	46	55	No	Yes	Yes	No	47	56	No	Yes	Yes	No
R729a	Residential / Commercial	60	48	No	No	No	No	61	49	No	No	No	No
R730	Residential	51	55	No	Yes	Yes	No	52	55	No	Yes	Yes	No
R730a	Residential	62	49	No	No	No	No	62	50	No	No	No	No
R731	Residential	72	55	No	No	No	No	73	57	No	No	No	No
R731a	Residential	60	51	No	No	No	No	61	52	No	No	No	No
R732	Residential	59	53	No	No	No	No	60	54	No	No	No	No
R732a	Residential	72	59	No	No	No	No	72	60	No	No	No	No
R733	Residential	50	50	No	No	No	No	51	52	No	Yes	No	No
R734	Residential	63	63	Yes	No	No	No	64	66	Yes	Yes	No	No
R735	Residential	63	64	Yes	Yes	No	No	65	66	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R736	Residential	62	63	Yes	Yes	No	No	64	66	Yes	Yes	No	No
R737	Residential	62	63	Yes	Yes	No	No	65	67	Yes	Yes	No	No
R738	Residential	54	54	No	No	No	No	55	56	No	Yes	No	No
R739	Residential	51	51	No	No	No	No	52	53	No	Yes	No	No
R740	Residential	62	63	Yes	Yes	No	No	64	66	Yes	Yes	No	No
R741	Residential	62	62	Yes	No	No	No	63	64	Yes	Yes	No	No
R742	Residential	59	59	No	No	No	No	61	61	Yes	No	No	No
R743	Residential	62	63	Yes	Yes	No	No	65	66	Yes	Yes	No	No
R744	Residential	58	58	No	No	No	No	59	60	No	Yes	No	No
R745	Residential	52	53	No	Yes	No	No	54	55	No	Yes	No	No
R746	Residential	64	64	Yes	No	No	No	65	66	Yes	Yes	No	No
R747	Residential	46	47	No	Yes	No	No	48	48	No	No	No	No
R748	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R749	Commercial	74	75	Yes	Yes	No	No	75	76	Yes	Yes	No	No
R750	Residential	60	61	Yes	Yes	No	No	62	62	Yes	No	No	No
R751	Residential	45	45	No	No	No	No	46	46	No	No	No	No
R752	Residential	43	43	No	No	No	No	44	44	No	No	No	No
R753	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R754	Residential	55	54	No	No	No	No	57	56	No	No	No	No
R755	Residential / Commercial	52	52	No	No	No	No	54	54	No	No	No	No
R756	Residential	60	58	No	No	No	No	62	61	Yes	No	No	No
R757	Residential	49	49	No	No	No	No	51	51	No	No	No	No
R758	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R759	Residential / Commercial	50	51	No	Yes	No	No	51	51	No	No	No	No
R760	Residential	71	71	Yes	No	No	No	71	71	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R761	Residential	48	48	No	No	No	No	50	50	No	No	No	No
R762	Residential	44	62	Yes	Yes	Yes	Yes	45	62	Yes	Yes	Yes	Yes
R762a	Residential	50	62	Yes	Yes	Yes	Yes	51	63	Yes	Yes	Yes	Yes
R763	Residential	68	69	Yes	Yes	No	No	69	69	Yes	No	No	No
R764	Residential	62	62	Yes	No	No	No	64	64	Yes	No	No	No
R765	Residential	72	59	No	No	No	No	72	60	No	No	No	No
R766	Residential	72	56	No	No	No	No	72	57	No	No	No	No
R767	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R767a	Residential	68	56	No	No	No	No	68	57	No	No	No	No
R768	Residential	69	55	No	No	No	No	70	56	No	No	No	No
R768a	Residential	52	51	No	No	No	No	53	52	No	No	No	No
R769	Residential / Commercial	60	61	Yes	Yes	No	No	62	63	Yes	Yes	No	No
R770	Residential	67	68	Yes	Yes	No	No	68	69	Yes	Yes	No	No
R771	Residential / Commercial	63	63	Yes	No	No	No	64	65	Yes	Yes	No	No
R772	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R773	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R774	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R775	Residential	71	72	Yes	Yes	No	No	72	72	Yes	No	No	No
R776	Residential	51	51	No	No	No	No	52	53	No	Yes	No	No
R777	Residential	62	63	Yes	Yes	No	No	64	66	Yes	Yes	No	No
R778	Residential / Commercial	52	53	No	Yes	No	No	54	54	No	No	No	No
R779	Residential	62	63	Yes	Yes	No	No	65	66	Yes	Yes	No	No
R780	Residential	63	64	Yes	Yes	No	No	65	67	Yes	Yes	No	No
R781	Residential	63	63	Yes	No	No	No	65	66	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R782	Residential	63	63	Yes	No	No	No	64	65	Yes	Yes	No	No
R783	Residential	52	53	No	Yes	No	No	54	55	No	Yes	No	No
R784	Residential	63	50	No	No	No	No	64	51	No	No	No	No
R785	Residential	66	53	No	No	No	No	67	54	No	No	No	No
R786	Residential	69	53	No	No	No	No	70	55	No	No	No	No
R787	Residential	56	55	No	No	No	No	56	56	No	No	No	No
R788	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R788a	Residential	52	53	No	Yes	No	No	53	54	No	Yes	No	No
R789	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R790	Residential	51	53	No	Yes	No	No	52	54	No	Yes	No	No
R791	Residential / Commercial	50	51	No	Yes	No	No	51	52	No	Yes	No	No
R792	Residential	58	49	No	No	No	No	58	50	No	No	No	No
R793	Residential	49	46	No	No	No	No	50	47	No	No	No	No
R794	Residential	58	49	No	No	No	No	59	50	No	No	No	No
R795	Residential	59	49	No	No	No	No	60	50	No	No	No	No
R796	Residential	58	49	No	No	No	No	59	49	No	No	No	No
R797	Residential	58	48	No	No	No	No	58	49	No	No	No	No
R798	Residential	55	46	No	No	No	No	56	47	No	No	No	No
R799	Residential	58	50	No	No	No	No	58	51	No	No	No	No
R800	Residential	51	45	No	No	No	No	52	46	No	No	No	No
R801	Residential	52	46	No	No	No	No	53	46	No	No	No	No
R802	Residential	55	47	No	No	No	No	56	48	No	No	No	No
R803	Residential	55	47	No	No	No	No	56	48	No	No	No	No
R804	Residential	62	53	No	No	No	No	62	54	No	No	No	No
R805	Commercial	64	56	No	No	No	No	65	58	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R806	Residential	67	60	No	No	No	No	68	62	Yes	No	No	No
R807	Residential	67	61	Yes	No	No	No	68	62	Yes	No	No	No
R808	Residential	68	62	Yes	No	No	No	69	63	Yes	No	No	No
R809	Residential	70	63	Yes	No	No	No	71	64	Yes	No	No	No
R810	Residential	69	66	Yes	No	No	No	70	67	Yes	No	No	No
R811	Residential	69	71	Yes	Yes	No	No	70	72	Yes	Yes	No	No
R812	Commercial	68	71	Yes	Yes	No	No	70	72	Yes	Yes	No	No
R813	Residential	68	71	Yes	Yes	No	No	70	72	Yes	Yes	No	No
R814	Residential	68	71	Yes	Yes	No	No	70	72	Yes	Yes	No	No
R815	Hotel	69	72	Yes	Yes	No	No	70	73	Yes	Yes	No	No
R816	Commercial	45	44	No	No	No	No	46	45	No	No	No	No
R817	The Mill House	52	50	No	No	Yes	No	52	51	No	No	Yes	No
R817a	The Mill House Chalet	47	50	No	Yes	Yes	No	47	51	No	Yes	Yes	No
R818	Residential	63	50	No	No	No	No	64	52	No	No	No	No
R819	Residential	63	51	No	No	No	No	64	52	No	No	No	No
R820	Residential	54	45	No	No	No	No	55	46	No	No	No	No
R821	Residential	54	45	No	No	No	No	55	46	No	No	No	No
R822	Residential	54	45	No	No	No	No	55	46	No	No	No	No
R823	Residential	49	43	No	No	No	No	50	44	No	No	No	No
R824	Residential	50	48	No	No	No	No	51	49	No	No	No	No
R825	Residential	46	47	No	Yes	No	No	47	48	No	Yes	No	No
R826	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R827	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R828	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R829	Residential	55	47	No	No	No	No	56	47	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R830	Residential	56	47	No	No	No	No	57	48	No	No	No	No
R831	Residential	63	52	No	No	No	No	64	53	No	No	No	No
R832	Residential	64	52	No	No	No	No	65	53	No	No	No	No
R833	Residential	71	59	No	No	No	No	72	60	No	No	No	No
R834	Residential / Commercial	68	60	No	No	No	No	68	61	Yes	No	No	No
R835	Residential	66	58	No	No	No	No	66	59	No	No	No	No
R836	Residential	63	54	No	No	No	No	63	55	No	No	No	No
R837	Residential	62	53	No	No	No	No	62	54	No	No	No	No
R838	Residential	59	50	No	No	No	No	59	51	No	No	No	No
R839	Residential	58	50	No	No	No	No	59	51	No	No	No	No
R840	Residential	57	49	No	No	No	No	58	50	No	No	No	No
R841	Residential	59	51	No	No	No	No	60	52	No	No	No	No
R842	Residential	65	58	No	No	No	No	65	59	No	No	No	No
R843	Residential	64	55	No	No	No	No	65	56	No	No	No	No
R844	Residential	64	54	No	No	No	No	64	55	No	No	No	No
R845	Residential	55	47	No	No	No	No	55	48	No	No	No	No
R846	Residential	56	49	No	No	No	No	57	50	No	No	No	No
R847	Residential	55	48	No	No	No	No	55	49	No	No	No	No
R848	Residential	54	47	No	No	No	No	55	48	No	No	No	No
R849	Residential	52	47	No	No	No	No	53	47	No	No	No	No
R850	Residential	54	48	No	No	No	No	55	49	No	No	No	No
R851	Residential	50	47	No	No	No	No	51	47	No	No	No	No
R852	Residential	73	62	Yes	No	No	No	74	63	Yes	No	No	No
R853	Residential	69	66	Yes	No	No	No	70	67	Yes	No	No	No
R854	Residential	73	60	No	No	No	No	74	62	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R855	Residential	73	60	No	No	No	No	74	61	Yes	No	No	No
R856	Residential	74	61	Yes	No	No	No	75	62	Yes	No	No	No
R857	Residential	74	60	No	No	No	No	74	62	Yes	No	No	No
R858	Residential	73	60	No	No	No	No	74	61	Yes	No	No	No
R859	Commercial	73	60	No	No	No	No	74	61	Yes	No	No	No
R860	Commercial	73	60	No	No	No	No	74	61	Yes	No	No	No
R861	Residential	73	60	No	No	No	No	74	61	Yes	No	No	No
R862	Residential	73	61	Yes	No	No	No	74	62	Yes	No	No	No
R863	Church	62	51	No	No	No	No	63	51	No	No	No	No
R864	Residential / Commercial	70	59	No	No	No	No	70	60	No	No	No	No
R865	Residential	70	59	No	No	No	No	70	59	No	No	No	No
R866	Residential	70	59	No	No	No	No	70	59	No	No	No	No
R867	Residential	60	49	No	No	No	No	60	50	No	No	No	No
R868	Residential	71	59	No	No	No	No	72	60	No	No	No	No
R869	Commercial	62	51	No	No	No	No	63	51	No	No	No	No
R870	Residential	62	51	No	No	No	No	63	52	No	No	No	No
R871	Residential	49	47	No	No	No	No	50	48	No	No	No	No
R872	Residential	47	46	No	No	No	No	48	47	No	No	No	No
R873	Residential	48	46	No	No	No	No	49	47	No	No	No	No
R874	Residential	50	46	No	No	No	No	51	47	No	No	No	No
R875	Residential	51	45	No	No	No	No	52	46	No	No	No	No
R876	Residential	51	45	No	No	No	No	52	46	No	No	No	No
R877	Residential	53	44	No	No	No	No	54	45	No	No	No	No
R878	Residential	45	44	No	No	No	No	46	45	No	No	No	No
R879	Residential	65	65	Yes	No	No	No	66	66	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R880	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R881	Residential	71	71	Yes	No	No	No	72	73	Yes	Yes	No	No
R882	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R883	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R884	Church	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R885	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R886	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R887	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R888	Hotel	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R889	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R890	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R891	Residential	69	66	Yes	No	No	No	70	68	Yes	No	No	No
R892	Residential	70	65	Yes	No	No	No	71	66	Yes	No	No	No
R893	Residential	47	46	No	No	No	No	48	47	No	No	No	No
R894	Residential	49	45	No	No	No	No	50	46	No	No	No	No
R895	Residential	59	62	Yes	Yes	No	No	61	63	Yes	Yes	No	No
R896	Commercial	67	70	Yes	Yes	No	No	69	71	Yes	Yes	No	No
R897	Commercial	67	70	Yes	Yes	No	No	69	71	Yes	Yes	No	No
R898	Commercial	67	70	Yes	Yes	No	No	69	71	Yes	Yes	No	No
R899	Commercial	73	63	Yes	No	No	No	74	65	Yes	No	No	No
R900	Residential	70	66	Yes	No	No	No	71	67	Yes	No	No	No
R901	Residential	53	53	No	No	No	No	54	53	No	No	No	No
R902	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R903	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R904	Residential	53	53	No	No	No	No	54	54	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R905	Residential	65	65	Yes	No	No	No	66	66	Yes	No	No	No
R906	Residential	65	65	Yes	No	No	No	65	65	Yes	No	No	No
R907	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R908	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R909	Residential	64	64	Yes	No	No	No	64	65	Yes	Yes	No	No
R910	Residential	64	64	Yes	No	No	No	64	65	Yes	Yes	No	No
R911	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R912	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R913	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R914	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R915	Residential	64	64	Yes	No	No	No	64	65	Yes	Yes	No	No
R916	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R917	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R918	Residential	67	67	Yes	No	No	No	67	67	Yes	No	No	No
R919	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R920	Residential	57	56	No	No	No	No	57	57	No	No	No	No
R921	Residential	63	62	Yes	No	No	No	63	63	Yes	No	No	No
R922	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R923	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R924	B&B	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R925	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R926	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R927	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R928	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R929	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R930	Residential	68	69	Yes	Yes	No	No	69	70	Yes	Yes	No	No
R931	Residential	66	69	Yes	Yes	Yes	Yes	68	69	Yes	Yes	Yes	Yes
R932	Residential	66	67	Yes	Yes	Yes	Yes	67	68	Yes	Yes	Yes	Yes
R933	Residential	65	67	Yes	Yes	Yes	Yes	67	68	Yes	Yes	Yes	Yes
R934	Residential	69	70	Yes	Yes	No	No	71	71	Yes	No	No	No
R935	Residential	68	69	Yes	Yes	Yes	Yes	70	70	Yes	No	No	No
R936	Residential	70	70	Yes	No	No	No	71	71	Yes	No	No	No
R937	Commercial	65	66	Yes	Yes	No	No	67	67	Yes	No	No	No
R938	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R939	Residential / Commercial	69	69	Yes	No	No	No	71	70	Yes	No	No	No
R940	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R941	Residential	69	64	Yes	No	No	No	71	65	Yes	No	No	No
R941a	Residential	65	65	Yes	No	No	No	66	65	Yes	No	No	No
R941b	Residential	57	60	No	Yes	Yes	No	59	61	Yes	Yes	Yes	Yes
R942	Residential	48	56	No	Yes	Yes	No	49	57	No	Yes	Yes	No
R942a	Residential	56	61	Yes	Yes	Yes	Yes	57	62	Yes	Yes	Yes	Yes
R942b	Residential	53	60	No	Yes	Yes	No	54	61	Yes	Yes	Yes	Yes
R943	Residential	66	51	No	No	No	No	68	52	No	No	No	No
R944	Residential	51	56	No	Yes	No	No	52	57	No	Yes	No	No
R945	Residential	70	57	No	No	No	No	72	58	No	No	No	No
R946	Residential	66	58	No	No	No	No	67	59	No	No	No	No
R947	Residential / Commercial	66	59	No	No	No	No	67	60	No	No	No	No
R948	Residential / Commercial	58	57	No	No	No	No	60	58	No	No	No	No
R949	Residential	57	57	No	No	No	No	57	57	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R950	Residential	57	56	No	No	No	No	57	57	No	No	No	No
R951	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R952	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R953	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R954	Residential	56	56	No	No	No	No	56	57	No	Yes	No	No
R955	Residential	56	55	No	No	No	No	56	56	No	No	No	No
R956	Residential	64	59	No	No	No	No	64	60	No	No	No	No
R956a	Residential	72	64	Yes	No	No	No	73	65	Yes	No	No	No
R957	Residential	72	65	Yes	No	No	No	73	66	Yes	No	No	No
R957a	Residential	61	61	Yes	No	No	No	61	61	Yes	No	No	No
R958	Residential	69	70	Yes	Yes	No	No	70	70	Yes	No	No	No
R959	Residential	65	66	Yes	Yes	No	No	66	67	Yes	Yes	No	No
R960	Residential	70	71	Yes	Yes	No	No	71	71	Yes	No	No	No
R961	Residential	58	59	No	Yes	No	No	59	60	No	Yes	No	No
R962	Residential	63	63	Yes	No	No	No	63	64	Yes	Yes	No	No
R963	Residential	69	70	Yes	Yes	No	No	69	70	Yes	Yes	No	No
R964	Residential	68	69	Yes	Yes	No	No	69	69	Yes	No	No	No
R965	Residential	73	74	Yes	Yes	No	No	74	75	Yes	Yes	No	No
R966	Residential	64	65	Yes	Yes	No	No	65	65	Yes	No	No	No
R967	Residential	57	58	No	Yes	No	No	58	59	No	Yes	No	No
R968	Residential	61	62	Yes	Yes	No	No	62	63	Yes	Yes	No	No
R969	Residential	61	62	Yes	Yes	No	No	61	62	Yes	Yes	No	No
R970	Residential	57	58	No	Yes	No	No	58	59	No	Yes	No	No
R971	Slane Castle	56	56	No	No	No	No	56	56	No	No	No	No
R972	Residential	68	60	No	No	No	No	69	61	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R973	Residential	67	59	No	No	No	No	67	60	No	No	No	No
R974	Residential	67	59	No	No	No	No	67	60	No	No	No	No
R975	Residential	66	57	No	No	No	No	66	58	No	No	No	No
R976	Residential	56	49	No	No	No	No	57	50	No	No	No	No
R977	Residential	52	47	No	No	No	No	53	48	No	No	No	No
R978	Residential	50	46	No	No	No	No	50	47	No	No	No	No
R979	Residential	54	47	No	No	No	No	55	48	No	No	No	No
R980	Residential	58	50	No	No	No	No	59	51	No	No	No	No
R981	Residential	59	50	No	No	No	No	60	51	No	No	No	No
R982	Residential	53	46	No	No	No	No	54	46	No	No	No	No
R983	Commercial	67	60	No	No	No	No	68	61	Yes	No	No	No
R984	Residential	68	61	Yes	No	No	No	68	63	Yes	No	No	No
R985	Commercial	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R985a	Commercial	69	71	Yes	Yes	No	No	71	72	Yes	Yes	No	No
R986	Commercial	68	71	Yes	Yes	No	No	70	72	Yes	Yes	No	No
R987	Residential	55	48	No	No	No	No	56	49	No	No	No	No
R987a	Residential	53	52	No	No	Yes	No	54	53	No	No	Yes	No
R988	Residential	72	51	No	No	No	No	73	54	No	No	No	No
R989	Residential	66	53	No	No	No	No	66	55	No	No	No	No
R990	Commercial	52	52	No	No	No	No	53	53	No	No	No	No
R991	Commercial	45	47	No	Yes	Yes	No	47	48	No	Yes	Yes	No
R992	Residential	49	48	No	No	No	No	50	49	No	No	No	No
R993	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R994	Residential	47	47	No	No	No	No	48	47	No	No	No	No
R995	Residential	56	55	No	No	No	No	58	58	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R996	Commercial	67	70	Yes	Yes	No	No	69	71	Yes	Yes	No	No
R997	Commercial	69	71	Yes	Yes	No	No	71	72	Yes	Yes	No	No
R998	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R999	Residential	73	60	No	No	No	No	74	61	Yes	No	No	No
R1000	Residential	66	56	No	No	No	No	67	57	No	No	No	No
R1001	Residential	73	61	Yes	No	No	No	74	62	Yes	No	No	No
R1002	Residential / Commercial	53	50	No	No	No	No	54	51	No	No	No	No
R1003	Residential	58	49	No	No	No	No	59	50	No	No	No	No
R1004	Residential	73	61	Yes	No	No	No	74	62	Yes	No	No	No
R1005	Commercial	73	60	No	No	No	No	74	61	Yes	No	No	No
R1006	Residential	73	60	No	No	No	No	74	61	Yes	No	No	No
R1007	Residential	70	59	No	No	No	No	71	59	No	No	No	No
R1008	Residential	57	48	No	No	No	No	58	49	No	No	No	No
R1009	Health Centre	72	60	No	No	No	No	73	61	Yes	No	No	No
R1010	Residential	48	46	No	No	No	No	49	47	No	No	No	No
R1011	Residential	51	45	No	No	No	No	51	46	No	No	No	No
R1012	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R1013	Residential	50	46	No	No	No	No	51	47	No	No	No	No
R1014	Residential	50	48	No	No	No	No	51	49	No	No	No	No
R1015	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R1016	Residential	63	52	No	No	No	No	64	53	No	No	No	No
R1017	Residential	64	53	No	No	No	No	65	53	No	No	No	No
R1018	Residential	64	56	No	No	No	No	64	57	No	No	No	No
R1019	Residential	60	52	No	No	No	No	61	53	No	No	No	No
R1020	Residential	57	49	No	No	No	No	58	50	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1021	Residential	60	52	No	No	No	No	61	53	No	No	No	No
R1022	Residential	61	52	No	No	No	No	62	54	No	No	No	No
R1023	Residential	63	63	Yes	No	No	No	63	63	Yes	No	No	No
R1024	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R1025	Residential	56	55	No	No	No	No	56	56	No	No	No	No
R1026	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R1027	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1028	Residential	65	65	Yes	No	No	No	66	66	Yes	No	No	No
R1029	Residential	64	64	Yes	No	No	No	64	65	Yes	Yes	No	No
R1030	Residential	62	62	Yes	No	No	No	63	63	Yes	No	No	No
R1031	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R1032	Residential	64	64	Yes	No	No	No	64	64	Yes	No	No	No
R1033	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R1034	Residential	67	67	Yes	No	No	No	67	67	Yes	No	No	No
R1035	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1036	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1037	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1038	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1039	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1040	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R1041	Residential	64	64	Yes	No	No	No	64	65	Yes	Yes	No	No
R1042	Community Centre	58	58	No	No	No	No	58	59	No	Yes	No	No
R1043	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R1044	Commercial	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R1045	Residential	58	58	No	No	No	No	59	59	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1046	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1047	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1048	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1049	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1050	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1051	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1052	Residential	49	49	No	No	No	No	50	50	No	No	No	No
R1053	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1054	Residential	71	72	Yes	Yes	No	No	72	73	Yes	Yes	No	No
R1055	Residential	70	71	Yes	Yes	No	No	70	71	Yes	Yes	No	No
R1056	Residential	65	66	Yes	Yes	No	No	66	66	Yes	No	No	No
R1057	Residential	57	58	No	Yes	No	No	58	59	No	Yes	No	No
R1058	Residential	59	60	No	Yes	No	No	59	60	No	Yes	No	No
R1059	Residential	56	58	No	Yes	No	No	57	58	No	Yes	No	No
R1060	Residential	60	61	Yes	Yes	No	No	60	61	Yes	Yes	No	No
R1061	Residential	62	63	Yes	Yes	No	No	63	64	Yes	Yes	No	No
R1062	Residential	63	66	Yes	Yes	No	No	65	67	Yes	Yes	No	No
R1063	Residential	66	67	Yes	Yes	Yes	Yes	67	68	Yes	Yes	No	No
R1064	Residential	70	70	Yes	No	No	No	71	71	Yes	No	No	No
R1065	Residential	69	69	Yes	No	No	No	71	70	Yes	No	No	No
R1066	Ledwidge Cottage Muesem	70	69	Yes	No	No	No	71	70	Yes	No	No	No
R1066a	Ledwidge Cottage Museum	66	67	Yes	Yes	Yes	Yes	67	68	Yes	Yes	Yes	Yes
R1067	Residential	60	51	No	No	No	No	61	52	No	No	No	No
R1067a	Residential	66	51	No	No	No	No	67	52	No	No	No	No
R1068	Residential	66	57	No	No	No	No	68	58	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1069	Residential / Commercial	50	54	No	Yes	No	No	51	55	No	Yes	No	No
R1070	Residential	61	57	No	No	No	No	62	59	No	No	No	No
R1071	Residential	59	58	No	No	No	No	60	59	No	No	No	No
R1072	Residential	58	57	No	No	No	No	59	58	No	No	No	No
R1073	Residential	57	55	No	No	No	No	58	58	No	No	No	No
R1074	Residential	57	56	No	No	No	No	57	57	No	No	No	No
R1075	Residential / Commercial	62	63	Yes	Yes	No	No	64	64	Yes	No	No	No
R1076	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R1077	Residential	65	66	Yes	Yes	No	No	67	67	Yes	No	No	No
R1078	Residential	67	68	Yes	Yes	No	No	68	69	Yes	Yes	No	No
R1079	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R1080	Residential	65	66	Yes	Yes	No	No	67	67	Yes	No	No	No
R1081	Residential	67	68	Yes	Yes	No	No	68	69	Yes	Yes	No	No
R1082	Residential	66	67	Yes	Yes	No	No	68	68	Yes	No	No	No
R1083	Residential	67	68	Yes	Yes	No	No	68	69	Yes	Yes	No	No
R1084	Residential	68	69	Yes	Yes	No	No	70	71	Yes	Yes	No	No
R1085	Residential	68	68	Yes	No	No	No	69	70	Yes	Yes	No	No
R1086	Commercial	66	67	Yes	Yes	No	No	68	68	Yes	No	No	No
R1087	Residential	66	67	Yes	Yes	No	No	67	68	Yes	Yes	No	No
R1088	Residential	55	56	No	Yes	No	No	56	57	No	Yes	No	No
R1089	Residential	52	53	No	Yes	No	No	54	54	No	No	No	No
R1090	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R1091	Residential	52	51	No	No	No	No	54	53	No	No	No	No
R1092	Residential	56	55	No	No	No	No	58	57	No	No	No	No
R1093	Residential	55	53	No	No	No	No	57	55	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1094	Residential	55	53	No	No	No	No	57	55	No	No	No	No
R1095	Residential	53	51	No	No	No	No	55	53	No	No	No	No
R1096	Residential	46	46	No	No	No	No	48	48	No	No	No	No
R1097	Residential / Commercial	44	44	No	No	No	No	45	45	No	No	No	No
R1098	Residential	47	46	No	No	No	No	48	47	No	No	No	No
R1099	Residential	54	53	No	No	No	No	55	54	No	No	No	No
R1100	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R1101	Residential	52	50	No	No	No	No	54	52	No	No	No	No
R1102	Residential / Commercial	52	51	No	No	No	No	54	53	No	No	No	No
R1103	Commercial	54	53	No	No	No	No	56	54	No	No	No	No
R1104	Residential	54	53	No	No	No	No	56	54	No	No	No	No
R1105	Residential	54	53	No	No	No	No	56	55	No	No	No	No
R1106	Residential	54	53	No	No	No	No	56	55	No	No	No	No
R1107	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R1108	Residential	68	69	Yes	Yes	No	No	70	70	Yes	No	No	No
R1109	Residential	65	66	Yes	Yes	No	No	66	67	Yes	Yes	No	No
R1110	Residential	66	67	Yes	Yes	No	No	67	67	Yes	No	No	No
R1111	Residential	50	47	No	No	No	No	52	49	No	No	No	No
R1112	Slane GAA	49	49	No	No	No	No	51	51	No	No	No	No
R1113	Church	54	53	No	No	No	No	56	55	No	No	No	No
R1114	Residential	54	54	No	No	No	No	56	55	No	No	No	No
R1115	Commercial	69	70	Yes	Yes	No	No	71	71	Yes	No	No	No
R1116	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R1117	Residential	66	67	Yes	Yes	No	No	68	68	Yes	No	No	No
R1118	Residential	68	69	Yes	Yes	No	No	69	70	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1119	Residential / Commercial	59	60	No	Yes	No	No	61	61	Yes	No	No	No
R1120	Residential / Commercial	58	59	No	Yes	No	No	60	60	No	No	No	No
R1121	Residential	66	66	Yes	No	No	No	67	68	Yes	Yes	No	No
R1122	Residential / Commercial	46	46	No	No	No	No	48	48	No	No	No	No
R1123	Residential	59	58	No	No	No	No	60	60	No	No	No	No
R1124	Residential	72	73	Yes	Yes	No	No	73	73	Yes	No	No	No
R1125	Residential	73	74	Yes	Yes	No	No	74	75	Yes	Yes	No	No
R1126	Residential / Commercial	71	72	Yes	Yes	No	No	72	73	Yes	Yes	No	No
R1127	Residential	72	73	Yes	Yes	No	No	72	73	Yes	Yes	No	No
R1128	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R1129	Residential	55	57	No	Yes	No	No	56	58	No	Yes	No	No
R1130	Residential	50	48	No	No	No	No	53	50	No	No	No	No
R1131	Residential	48	48	No	No	No	No	49	49	No	No	No	No
R1132	Residential / Commercial	46	46	No	No	No	No	48	47	No	No	No	No
R1133	Residential	66	67	Yes	Yes	No	No	67	67	Yes	No	No	No
R1134	Residential	57	58	No	Yes	No	No	58	59	No	Yes	No	No
R1135	Residential	70	71	Yes	Yes	No	No	71	71	Yes	No	No	No
R1136	Commercial	70	71	Yes	Yes	No	No	71	72	Yes	Yes	No	No
R1137	Residential	67	68	Yes	Yes	No	No	67	68	Yes	Yes	No	No
R1138	Residential / Commercial	71	72	Yes	Yes	No	No	72	72	Yes	No	No	No
R1139	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1140	Residential	70	71	Yes	Yes	No	No	71	71	Yes	No	No	No
R1141	Residential	59	60	No	Yes	No	No	60	61	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1142	Commercial	66	66	Yes	No	No	No	66	67	Yes	Yes	No	No
R1143	Residential	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R1144	Residential	67	68	Yes	Yes	No	No	69	69	Yes	No	No	No
R1145	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1146	Residential	52	53	No	Yes	No	No	54	54	No	No	No	No
R1147	Residential	51	51	No	No	No	No	52	52	No	No	No	No
R1148	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1149	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1150	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1151	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1152	Residential	67	68	Yes	Yes	No	No	69	69	Yes	No	No	No
R1153	Residential	68	68	Yes	No	No	No	69	70	Yes	Yes	No	No
R1154	Residential / Commercial	54	54	No	No	No	No	55	55	No	No	No	No
R1155	Residential	68	67	Yes	No	No	No	69	69	Yes	No	No	No
R1156	Residential	68	68	Yes	No	No	No	70	69	Yes	No	No	No
R1157	Residential	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R1158	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1159	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1160	Residential	68	68	Yes	No	No	No	70	70	Yes	No	No	No
R1161	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R1162	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1163	Residential	56	56	No	No	No	No	57	57	No	No	No	No
R1164	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R1165	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1166	Residential	51	51	No	No	No	No	52	52	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1167	Collon National School	51	52	No	Yes	No	No	52	52	No	No	No	No
R1168	Residential	69	69	Yes	No	No	No	71	71	Yes	No	No	No
R1169	Commercial	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1170	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1171	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1172	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1173	Commercial	68	68	Yes	No	No	No	70	70	Yes	No	No	No
R1174	Commercial	68	68	Yes	No	No	No	70	70	Yes	No	No	No
R1175	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R1176	Commercial	56	56	No	No	No	No	56	57	No	Yes	No	No
R1177	Residential	72	73	Yes	Yes	No	No	73	74	Yes	Yes	No	No
R1178	Residential	72	73	Yes	Yes	No	No	73	73	Yes	No	No	No
R1179	Community Centre	68	69	Yes	Yes	No	No	69	69	Yes	No	No	No
R1180	Church	69	70	Yes	Yes	No	No	70	71	Yes	Yes	No	No
R1181	Residential	65	65	Yes	No	No	No	67	67	Yes	No	No	No
R1182	Residential	65	65	Yes	No	No	No	67	67	Yes	No	No	No
R1183	Residential	70	70	Yes	No	No	No	70	71	Yes	Yes	No	No
R1184	Residential	68	69	Yes	Yes	No	No	69	70	Yes	Yes	No	No
R1185	Residential	68	68	Yes	No	No	No	68	69	Yes	Yes	No	No
R1186	Residential	60	61	Yes	Yes	No	No	61	62	Yes	Yes	No	No
R1187	Residential	58	58	No	No	No	No	59	59	No	No	No	No
R1188	Residential	72	72	Yes	No	No	No	73	73	Yes	No	No	No
R1189	Commercial	68	69	Yes	Yes	No	No	69	69	Yes	No	No	No
R1190	Residential	64	64	Yes	No	No	No	66	66	Yes	No	No	No
R1191	Residential	64	64	Yes	No	No	No	66	66	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1192	Residential	65	65	Yes	No	No	No	67	67	Yes	No	No	No
R1193	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R1194	Residential	69	70	Yes	Yes	No	No	70	70	Yes	No	No	No
R1195	Commercial	61	61	Yes	No	No	No	62	62	Yes	No	No	No
R1196	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1197	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1198	Animal Sanctuary	69	69	Yes	No	No	No	71	70	Yes	No	No	No
R1199	Residential	39	40	No	Yes	No	No	40	42	No	Yes	No	No
R1200	Residential	44	47	No	Yes	No	No	46	50	No	Yes	No	No
R1201	Residential	46	48	No	Yes	No	No	48	49	No	Yes	No	No
R1202	Residential	47	48	No	Yes	No	No	48	50	No	Yes	No	No
R1203	Residential	47	48	No	Yes	No	No	48	50	No	Yes	No	No
R1204	Residential	47	49	No	Yes	No	No	49	51	No	Yes	No	No
R1205	Residential	46	48	No	Yes	No	No	48	49	No	Yes	No	No
R1206	Residential	51	52	No	Yes	No	No	52	53	No	Yes	No	No
R1207	Residential	50	51	No	Yes	No	No	51	52	No	Yes	No	No
R1208	Commercial	64	65	Yes	Yes	No	No	65	65	Yes	No	No	No
R1209	Residential	50	50	No	No	No	No	51	51	No	No	No	No
R1210	Residential	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R1211	Residential	60	60	No	No	No	No	61	61	Yes	No	No	No
R1212	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1213	Residential	69	69	Yes	No	No	No	71	71	Yes	No	No	No
R1214	Residential	68	68	Yes	No	No	No	70	70	Yes	No	No	No
R1215	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1216	Residential	70	71	Yes	Yes	No	No	71	72	Yes	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1217	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1218	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1219	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1220	Residential	54	54	No	No	No	No	55	55	No	No	No	No
R1221	Residential	54	54	No	No	No	No	56	56	No	No	No	No
R1222	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R1223	Residential	57	56	No	No	No	No	58	58	No	No	No	No
R1224	Residential	57	57	No	No	No	No	58	58	No	No	No	No
R1225	Residential	62	62	Yes	No	No	No	64	63	Yes	No	No	No
R1226	Residential	63	63	Yes	No	No	No	65	64	Yes	No	No	No
R1227	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R1228	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R1229	Residential	52	52	No	No	No	No	53	53	No	No	No	No
R1230	Residential	55	55	No	No	No	No	56	56	No	No	No	No
R1231	Residential	69	69	Yes	No	No	No	71	71	Yes	No	No	No
R1232	Tus Maith Pre-school	69	69	Yes	No	No	No	71	70	Yes	No	No	No
R1233	Commercial	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1234	Church	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R1235	Commercial	69	69	Yes	No	No	No	71	70	Yes	No	No	No
R1236	Commercial	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1237	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1238	Commercial	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1239	Commercial	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1240	Commercial	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1241	Commercial	68	68	Yes	No	No	No	70	70	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1242	Residential	68	68	Yes	No	No	No	70	70	Yes	No	No	No
R1243	Residential	68	68	Yes	No	No	No	70	70	Yes	No	No	No
R1244	Commercial	68	68	Yes	No	No	No	70	70	Yes	No	No	No
R1245	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1246	Residential	70	70	Yes	No	No	No	70	71	Yes	Yes	No	No
R1247	Residential	67	67	Yes	No	No	No	68	68	Yes	No	No	No
R1248	Residential	66	66	Yes	No	No	No	66	67	Yes	Yes	No	No
R1249	Residential	72	72	Yes	No	No	No	72	73	Yes	Yes	No	No
R1250	Commercial	72	73	Yes	Yes	No	No	72	73	Yes	Yes	No	No
R1251	Commercial	70	70	Yes	No	No	No	72	72	Yes	No	No	No
R1252	Residential	68	69	Yes	Yes	No	No	69	69	Yes	No	No	No
R1253	Commercial	69	69	Yes	No	No	No	69	70	Yes	Yes	No	No
R1254	Residential	68	69	Yes	Yes	No	No	69	70	Yes	Yes	No	No
R1255	Residential	68	69	Yes	Yes	No	No	69	69	Yes	No	No	No
R1256	Residential	53	53	No	No	No	No	54	54	No	No	No	No
R1257	Commercial	69	70	Yes	Yes	No	No	70	71	Yes	Yes	No	No
R1258	Residential	58	59	No	Yes	No	No	59	60	No	Yes	No	No
R1259	Commercial	70	71	Yes	Yes	No	No	71	72	Yes	Yes	No	No
R1260	Residential	70	71	Yes	Yes	No	No	71	72	Yes	Yes	No	No
R1261	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1262	Commercial	71	72	Yes	Yes	No	No	72	72	Yes	No	No	No
R1263	Residential	71	72	Yes	Yes	No	No	72	72	Yes	No	No	No
R1264	Residential	63	63	Yes	No	No	No	63	63	Yes	No	No	No
R1265	Residential	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R1266	Commercial	63	63	Yes	No	No	No	64	64	Yes	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1267	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R1268	Residential	64	64	Yes	No	No	No	66	66	Yes	No	No	No
R1269	Residential	64	64	Yes	No	No	No	66	66	Yes	No	No	No
R1270	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R1271	Residential	66	66	Yes	No	No	No	67	67	Yes	No	No	No
R1272	Commercial	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R1273	Residential	73	73	Yes	No	No	No	73	73	Yes	No	No	No
R1274	Commercial	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R1275	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R1276	Residential	73	74	Yes	Yes	No	No	74	74	Yes	No	No	No
R1277	Commercial	67	67	Yes	No	No	No	67	67	Yes	No	No	No
R1278	Residential	71	72	Yes	Yes	No	No	72	72	Yes	No	No	No
R1279	Residential	61	61	Yes	No	No	No	62	62	Yes	No	No	No
R1280	Residential	55	56	No	Yes	No	No	57	57	No	No	No	No
R1281	Residential	73	73	Yes	No	No	No	74	74	Yes	No	No	No
R1282	Residential	65	66	Yes	Yes	No	No	66	66	Yes	No	No	No
R1283	Residential	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R1284	Commercial	70	70	Yes	No	No	No	71	71	Yes	No	No	No
R1285	Residential	69	69	Yes	No	No	No	70	70	Yes	No	No	No
R1286	Residential	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R1287	Residential	68	68	Yes	No	No	No	69	69	Yes	No	No	No
R1288	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R1289	Residential	72	72	Yes	No	No	No	73	73	Yes	No	No	No
R1290	Commercial	38	43	No	Yes	No	No	41	46	No	Yes	No	No
R1291	Residential	44	47	No	Yes	No	No	46	49	No	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1292	Residential	43	48	No	Yes	No	No	47	51	No	Yes	No	No
R1293	Residential	42	47	No	Yes	No	No	45	50	No	Yes	No	No
R1294	Residential	45	49	No	Yes	No	No	48	52	No	Yes	No	No
R1295	Residential	59	59	No	No	No	No	59	60	No	Yes	No	No
R1296	Residential	56	57	No	Yes	No	No	57	58	No	Yes	No	No
R1297	Residential	50	51	No	Yes	No	No	51	51	No	No	No	No
R1298	Residential	60	60	No	No	No	No	61	61	Yes	No	No	No
R1299	Commercial	63	63	Yes	No	No	No	64	64	Yes	No	No	No
R1300	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R1301	Residential	73	73	Yes	No	No	No	73	73	Yes	No	No	No
R1302	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R1303	Residential	64	64	Yes	No	No	No	65	65	Yes	No	No	No
R1304	Residential	66	53	No	No	No	No	67	55	No	No	No	No
R1304a	Residential	49	58	No	Yes	Yes	No	50	59	No	Yes	Yes	No
R1305	Residential	62	63	Yes	Yes	No	No	64	65	Yes	Yes	No	No
R1306	Residential	62	50	No	No	No	No	63	52	No	No	No	No
R1306a	Residential	46	51	No	Yes	Yes	No	46	52	No	Yes	Yes	No
R1307	Residential	63	63	Yes	No	No	No	64	65	Yes	Yes	No	No
R1308	Residential	55	48	No	No	No	No	56	49	No	No	No	No
R1309	Commercial	52	44	No	No	No	No	53	45	No	No	No	No
R1309a	Commercial	46	44	No	No	No	No	47	45	No	No	No	No
R1310	Residential	50	46	No	No	No	No	50	47	No	No	No	No
R1311	Residential	52	44	No	No	No	No	52	45	No	No	No	No
R1312	Residential	69	67	Yes	No	No	No	70	68	Yes	No	No	No
R1313	Residential	56	56	No	No	No	No	57	57	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1314	Residential	56	55	No	No	No	No	56	56	No	No	No	No
R1315	Slane Castle	55	55	No	No	No	No	56	56	No	No	No	No
R1316	Residential	73	61	Yes	No	No	No	74	62	Yes	No	No	No
R1317	Residential	59	51	No	No	No	No	60	52	No	No	No	No
R1318	Commercial	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1319	Residential / Commercial	55	54	No	No	No	No	57	56	No	No	No	No
R1320	Knowth	46	47	No	Yes	No	No	48	48	No	No	No	No
R1321	New Grange	43	44	No	Yes	Yes	No	45	45	No	No	No	No
R1322	Slane Abbey	51	51	No	No	No	No	52	52	No	No	No	No
R1323	Residential	44	45	No	Yes	No	No	45	46	No	Yes	No	No
R1324	Commercial	57	58	No	Yes	No	No	57	59	No	Yes	No	No
R1325	Residential	65	68	Yes	Yes	No	No	67	68	Yes	Yes	No	No
R1326	Residential	71	71	Yes	No	No	No	72	72	Yes	No	No	No
R1327	Slane Castle	54	54	No	No	No	No	55	55	No	No	No	No
R1328	Residential	53	46	No	No	No	No	54	47	No	No	No	No
R1329	Residential	52	44	No	No	No	No	53	45	No	No	No	No
R1330	Residential	51	44	No	No	No	No	52	45	No	No	No	No
R1331	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R1332	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R1333	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R1334	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R1335	Residential	46	44	No	No	No	No	46	45	No	No	No	No
R1336	Residential	50	44	No	No	No	No	51	45	No	No	No	No
R1337	Residential	50	43	No	No	No	No	50	44	No	No	No	No
R1338	Residential	45	44	No	No	No	No	46	45	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1339	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R1340	Residential	44	44	No	No	No	No	44	45	No	Yes	No	No
R1341	Residential	43	44	No	Yes	No	No	44	45	No	Yes	No	No
R1342	Residential	43	44	No	Yes	No	No	44	45	No	Yes	No	No
R1343	Residential	43	44	No	Yes	No	No	44	45	No	Yes	No	No
R1344	Residential	44	44	No	No	No	No	45	45	No	No	No	No
R1345	Residential	44	44	No	No	No	No	45	45	No	No	No	No
R1346	Residential	45	44	No	No	No	No	45	45	No	No	No	No
R1347	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R1348	Residential	46	44	No	No	No	No	47	45	No	No	No	No
R1349	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R1350	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R1351	Residential	47	45	No	No	No	No	47	46	No	No	No	No
R1352	Residential	46	45	No	No	No	No	47	46	No	No	No	No
R1353	Residential	47	45	No	No	No	No	48	46	No	No	No	No
R1354	Residential	47	45	No	No	No	No	48	46	No	No	No	No
R1355	Residential	48	44	No	No	No	No	48	45	No	No	No	No
R1356	Residential	48	44	No	No	No	No	49	45	No	No	No	No
R1357	Residential	50	47	No	No	No	No	51	48	No	No	No	No
R1358	Residential	46	46	No	No	No	No	47	47	No	No	No	No
R1359	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R1360	Residential	53	44	No	No	No	No	54	45	No	No	No	No
R1361	Residential	55	47	No	No	No	No	56	48	No	No	No	No
R1362	Residential	45	43	No	No	No	No	46	44	No	No	No	No
R1363	Residential	45	43	No	No	No	No	46	44	No	No	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do-Something	(a)	(b)	(c)	
R1364	Residential	46	45	No	No	No	No	46	46	No	No	No	No
R1365	Residential	46	47	No	Yes	No	No	46	48	No	Yes	No	No
R1366	Residential	49	47	No	No	No	No	49	48	No	No	No	No
R1367	Residential	49	48	No	No	No	No	49	49	No	No	No	No
R1368	Residential	47	48	No	Yes	No	No	48	49	No	Yes	No	No
R1369	Residential	47	48	No	Yes	No	No	47	49	No	Yes	No	No
R1370	Residential	46	48	No	Yes	No	No	47	49	No	Yes	No	No
R1371	Residential	46	48	No	Yes	No	No	47	48	No	Yes	No	No
R1372	Residential	46	47	No	Yes	No	No	47	48	No	Yes	No	No
R1373	Residential	46	47	No	Yes	No	No	47	48	No	Yes	No	No
R1374	Residential	46	47	No	Yes	No	No	47	48	No	Yes	No	No
R1375	Residential	46	45	No	No	No	No	46	46	No	No	No	No
R1376	Residential	46	47	No	Yes	No	No	47	48	No	Yes	No	No
R1377	Residential	47	47	No	No	No	No	48	48	No	No	No	No
R1378	Residential	47	47	No	No	No	No	48	47	No	No	No	No
R1379	Residential	48	47	No	No	No	No	48	48	No	No	No	No
R1380	Residential	48	47	No	No	No	No	49	48	No	No	No	No
R1381	Residential	48	47	No	No	No	No	49	48	No	No	No	No
R1382	Residential	48	47	No	No	No	No	49	48	No	No	No	No
R1383	Residential	48	47	No	No	No	No	49	48	No	No	No	No
R1384	Residential	48	47	No	No	No	No	49	48	No	No	No	No
R1385	Residential	46	45	No	No	No	No	46	46	No	No	No	No
R1386	Residential	46	45	No	No	No	No	46	46	No	No	No	No
R1387	Residential	46	46	No	No	No	No	46	47	No	Yes	No	No
R1388	Residential	46	47	No	Yes	No	No	46	48	No	Yes	No	No

VOL. 4 APPENDIX 9

Receptor ID	Description	Predicted Noise Levels Opening Year (2026)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required?	Predicted Noise Levels Design Year (2041)		TII Condition for Noise Mitigation Satisfied?			Mitigation Required ?
		Do-Minimum	Do-Something	(a)	(b)	(c)		Do-Minimum	Do- Something	(a)	(b)	(c)	
R1389	Residential	46	47	No	Yes	No	No	46	48	No	Yes	No	No
R1390	Residential	46	47	No	Yes	No	No	46	48	No	Yes	No	No
R1391	Residential	46	47	No	Yes	No	No	46	48	No	Yes	No	No